

Message

From: Bradley Hagemann [hagemann.associates@gmail.com]
Sent: 2/21/2019 8:31:57 PM
To: Hammer, Phillip@Waterboards [Phillip.Hammer@waterboards.ca.gov]
CC: Dan Connally [dan.connally@pgenv.com]; Smith, DavidW [Smith.DavidW@epa.gov]; Marincola, Jamie [Marincola.JamesPaul@epa.gov]; VonLangen, Peter@Waterboards [Peter.VonLangen@waterboards.ca.gov]; Packard, Harvey@Waterboards [Harvey.Packard@waterboards.ca.gov]; Kristi Dibbern [avilacsd@gmail.com]
Subject: Re: APPROVAL OF BRINE WASTE DISCHARGE STUDY FOR ORDER NO. R3-2017-0025

Peter, Phil and Water Board staff,

Thank you for the speedy approval of the revised brine study report.

Please note that the avilacsd@aol.com account is no longer active.
Please use avilacsd@gmail.com

Thanks again,

Brad Hagemann
General Manager

On Wed, Feb 20, 2019 at 1:52 PM Hammer, Phillip@Waterboards <Phillip.Hammer@waterboards.ca.gov> wrote:

APPROVAL OF BRINE WASTE DISCHARGE STUDY FOR ORDER NO. R3-2017-0025, WASTE DISCHARGE REQUIREMENTS FOR THE AVILA BEACH COMMUNITY SERVICES DISTRICT WASTEWATER TREATMENT FACILITY DISCHARGE TO THE PACIFIC OCEAN

The Central Coast Regional Water Quality Control Board is increasing its efforts to transmit correspondence and other information electronically, reducing the amount of paper used, and increasing the speed of which information is distributed. Therefore, you are receiving the attached correspondence for the subject site from the Central Coast Water Board in a Portable Data Format (PDF). You will not receive a hard copy unless documents are also required to be sent by Certified Mail. If you need help opening this document please refer to the link: <http://www.adobe.com/products/acrobat/readstep2.html>

--

Thank you.

Brad Hagemann, PE
General Manager
Avila Beach Community Services District

Hagemann & Associates
9372 Carmel Road
Atascadero, CA 93422
(805) 835-3163